CARÚNCULA RESERVE

Protocolo de Cámaras Trampa

Pasos para instalar y retirar una cámara trampa en sitio.

Instalación: 16 pasos (página 1) **Retiro:** 7 pasos (página 2) **English version:** pages 3–4 **Versión:** 5 de noviembre de 2026

Instalación de la cámara

16 pasos

Seguí los pasos en orden y marcá cada uno al terminarlo.

1. **Revisá el área.** Caminá alrededor del sitio y confirmá que sea seguro para el equipo y adecuado para instalar la cámara. ☐
2. **Revisá la correa (strap).** Verificá que no tenga nudos ni daños que dificulten ajustarla al árbol. ☐
3. **Ajustá la correa y la calza.** Ajustá la correa al grosor del árbol. Si la cámara queda torcida, corregí el ángulo con una calza: ☐
   - Si apunta hacia arriba → la calza va abajo
   - Si apunta hacia abajo → la calza va arriba

   ⚠ Si la calza no alcanza, se puede nivelar la corteza con un machete. Hacelo con mucho cuidado.
4. **Ajustá posición y ángulo.** Calculá el ángulo de la cámara para que el área objetivo quede bien cubierta. ☐
5. **Revisá las baterías.** Confirmá que la cámara tenga baterías instaladas. Si no, colocalas. ☐
6. **Abrí y encendé la cámara.** Abrí la cámara trampa y encendela. ☐
7. **Confirmá batería, fecha y hora.** Verificá que el nivel de batería sea suficiente y que la fecha y hora estén bien configuradas. ☐
8. **Poné modo video.** Asegurate de que la cámara esté configurada en modo video. ☐
9. **Probá con el botón Shutter.** Presioná Shutter para hacer una prueba y comprobar que el ángulo y el campo de visión sean los correctos. ☐
10. **Revisá la grabación de prueba.** Mirá la grabación para confirmar que la cámara funciona y que el encuadre es el deseado. ☐
11. **Revisá la correa otra vez.** Confirmá que quede firmemente ajustada al árbol. ☐
12. **Restablecé la SD.** Si es necesario, restablecé la tarjeta SD de la cámara. ☐
13. **Presioná Start.** Activá el botón Start para iniciar el monitoreo. ☐
14. **Colocá el candado.** Si las condiciones del sitio lo requieren, asegurá la cámara con un candado. ☐
15. **Revisá que no quede nada.** Confirmá que no quede equipo, herramientas ni materiales olvidados en el área. ☐
16. **Anotá tus observaciones.** Registrá notas sobre la instalación, la ubicación y las condiciones del sitio. ☐

Retiro de la cámara

7 pasos

Seguí los pasos en orden y marcá cada uno al terminarlo.

1. **Revisá el exterior.** Confirmá que todo alrededor de la cámara esté en orden. ☐
2. **Revisá el estado de la cámara.** Verificá externamente que la cámara esté en buen estado. ☐
3. **Quitá el amarre.** Retirá la correa que rodea el tronco del árbol. ☐
4. **Quitá el candado.** Abrí y retirá el candado de seguridad. ☐
5. ⚠ **Si el candado no abre.** Usá la cegueta con cuidado para cortarlo y removerlo. ☐
6. **Detené la grabación.** Presioná el botón Start para parar la grabación. ☐
7. **Apagá la cámara.** Apagala para finalizar el retiro. ☐

CARÚNCULA RESERVE

Camera Trap Protocol

Steps to install and remove a camera trap in the field.

Installation: 16 steps (page 3) **Removal:** 7 steps (page 4) **Versión en español:** páginas 1–2 **Version:** November 5, 2026

Camera installation

16 steps

Follow the steps in order and tick each one off when done.

1. **Check the area.** Walk around the site and make sure it is safe for the team and suitable for installing the camera. ☐
2. **Check the strap.** Make sure it has no knots or damage that would make it hard to fasten to the tree. ☐
3. **Adjust the strap and the wedge.** Fit the strap to the thickness of the tree. If the camera sits crooked, correct the angle with a wedge: ☐
   - If it points up → the wedge goes at the bottom
   - If it points down → the wedge goes at the top

   ⚠ If the wedge is not enough, the bark can be leveled with a machete. Do this very carefully.
4. **Adjust position and angle.** Work out the camera angle so the target area is well covered. ☐
5. **Check the batteries.** Make sure the camera has batteries installed. If not, put them in. ☐
6. **Open the camera and turn it on.** Open the camera trap and switch it on. ☐
7. **Confirm battery, date and time.** Check that the battery level is sufficient and that the date and time are set correctly. ☐
8. **Set video mode.** Make sure the camera is set to video mode. ☐
9. **Test with the Shutter button.** Press Shutter to take a test and confirm that the angle and field of view are correct. ☐
10. **Review the test recording.** Watch the recording to confirm the camera works and the framing is right. ☐
11. **Check the strap again.** Make sure it is firmly fastened to the tree. ☐
12. **Reset the SD card.** If needed, reset the camera's SD card. ☐
13. **Press Start.** Press the Start button to begin monitoring. ☐
14. **Attach the padlock.** If site conditions require it, secure the camera with a padlock. ☐
15. **Make sure nothing is left behind.** Check that no equipment, tools or materials are left in the area. ☐
16. **Write down your observations.** Record notes on the installation, the location and the site conditions. ☐

Camera removal

7 steps

Follow the steps in order and tick each one off when done.

1. **Check the surroundings.** Make sure everything around the camera is in order. ☐
2. **Check the camera's condition.** Check from the outside that the camera is in good condition. ☐
3. **Remove the strap.** Take off the strap around the tree trunk. ☐
4. **Remove the padlock.** Unlock and remove the security padlock. ☐
5. ⚠ **If the padlock won't open.** Carefully use the hacksaw to cut it off and remove it. ☐
6. **Stop recording.** Press the Start button to stop recording. ☐
7. **Turn off the camera.** Switch it off to complete the removal. ☐